

HANDLING/INDUSTRIAL VEHICLES

SHARP HIGH FREQUENCY CHARGER FAMILY

EASY-TO-USE, ENERGY-EFFICIENT, TROUBLE-FREE





1-phase 12V 7-30A 24V 4-16A IP65





1-phase 12V 20-60A 24V 20-60A 36V 20-40A 48V 15-30A





1-phase 24V 40-100A 36V 22-70A 48V 20-60A IP54 casing* IP66 optional





1-phase 24V 80-120A 36V 60-80A 48V 40-60A





3-phase 24V 80-130A 36V 60-100A 48V 60-80A





3-phase 24V 150A 36V 130-150A 48V 100-165A 80V 40-100A

Which SHARP charger size do you need?

Check out our webpage charger guide. You will need mains voltage, battery voltage, battery capacity in Ah, type of battery, and available charging time.

Downloads

Visit our document portal where we have gathered files such as user manuals, data sheets, drawings, STEP-files, charging tables and more: docs.micropower-group.com

SHARP chargers

- High frequency technology
- Equipped with 1 to 3 charging curves, depending on model.
- High efficiency design
- Factory set or quick step-button set after installation
- Most models are available for various mains voltages.

* IP54 on data plate requires fixed primary cable.

Micropower | Powerful solution in battery charging

GLOBAL ACTOR IN BATTERY CHARGING SOLUTIONS

Micropower Group is an independent producer of battery chargers and systems for industrial use, with head office in Växjö, Sweden. Micropower is a global, leading player on material handling battery charging.



Micropower ED Marketing AB Idavägen 1 SE-352 46 Växjö, Sweden Phone: +46 (0)470 727 400 sales@micropower.se www.micropower-group.se

Powerfinn OY Peramiehenkatu 6 FIN-24100 Salo, Finland

Phone: +358-(0)2-777 290 Fax: +358-(0)2-777 2918

info@powerfinn.fi www.powerfinn.fi Micropower GmbH Gartenfelder Straße 29-37 135 99 Berlin, Germany

hone: +46 (0)30 894 069 90

info@micropower-group.de www.micropower-group.com Micropower Shanghai Ltd Rm101, Build3 No1501, Jinsui Road, Pudong New District Shanghai, China

Phone: (0)21 5093 8660, (0)21 5093 8670 Fax: (0)21 5093 8680

wayne.qin@micropower.se www.micropower-group.cn 150 Marybill Drive Troy, OH 45373, US

Phone: 917.628.1836 Fax: 516.485.0344

tom.tag@ecotecbatcharger.com www.ecotecbatcharger.com